

N2787

Title: Wide Function Pointer Types for Pairing Code and Data

Author: Martin Uecker

Prior Art: Borland C++, D

Introduction:

Many existing C APIs require the use of void pointers that are passed as additional argument to callback functions and are therefore not type safe. Other languages often have native types which can be used to pass nested functions/lambda to callbacks. That there is no native C function type that pairs code and data makes interoperating with such languages difficult. Trying to use regular function pointers for callbacks with data requires run-time code generation (e.g. nested functions in GCC or XL C, and closures in libffi [1]) but this is complex, inefficient, and problematic from a security point of view. We therefore propose to add a wide function pointer type to C as an important missing basic building block for building type-safe APIs and for language interoperability.

Prior Art

There exist many similar concepts in various languages. The version is the `__closure` pointers in Borland C++ [2]

```
int (__closure *cb)(int x);
```

Another similar solution is also used in Apple's blocks extension:

```
int (^cb)(int x);
```

A similar construct is `std::function<>` template in C++, but this is a template type with additional features related to ownership and small-object optimization that do not seem to be implementable in C. A related feature for interfacing with other languages is GCC's `__builtin_call_with_static_chain()` function. It allows calling functions implemented in other languages that make use of a static chain from C code.

Proposal

We propose to add a wide function type similar to Borland C++ that pairs code and data (context). Pointers to such functions could then be used to call closures or callable objects from other languages. Such a pointer type could also be adopted by existing C extensions (blocks, nested functions) and be used in future C language extensions (e.g. lambdas) ensuring interoperability of APIs. A minimal proposal that would allow use of such pointers created in code from other languages could only add pointers to wide functions. To make this proposal useful also for programs written in C and to also capture some more functionality which

now requires implementation-specific assembler (as in libffi) or builtins (as in `__builtin_call_with_static_chain`), we also allow wide function definitions at file scope and add a simple API to manipulate the context of pointers to wide functions.

Implementation

How such pointers are implemented would be left entirely to the implementation. However, a simple implementation of a wide function pointer would use an internal representation as a pair of a code pointer and a context pointer:

```
struct wide_ptr_t {  
    void (*code)();  
    void *context;  
};
```

We use here the type `void(*)()` as generic function pointer in the internal representation, but the type exposed in the C language for the pointed-to function has full type information about the return type and the arguments. The proposed library extension would provide functions to read and set the context pointer.

When the function is called the context pointer is passed in an ABI-specific way to the machine code pointed to by `code`. Typically, the context pointer is loaded into the static chain register which is already reserved by the ABI on most architectures as it is used by other languages such as Pascal or Ada (this has to be done today using compiler extensions such as `__builtin_call_with_static_chain`). A regular function pointer can then be widened to a wide pointer simply by adding a NULL context pointer because loading this into the static chain register before calling a regular pointer would do no harm. On architectures with ABIs which make use of function descriptors which already contain space for a context pointer, a wide pointer would have the same representation as a regular function pointer.

The feature is a powerful for interoperability as it can be adapted to call arbitrary callable entities in other languages from C regardless of the calling convention. The context pointer would point to the callable entity and the code pointer would point to some (compile-time) stub that knows how to call the entity with the right parameters.

Proposed Semantics

It is suggest to implement the new approach by introducing a qualifier that applies to functions, i.e. introduce a new wide-qualified function type. The general rules for wide functions are the same as for regular functions. In fact, the only reason we need to introduce a new type is because existing ABI on most platforms does not allow storing a context pointer in the pointer itself. Introducing a new type allows us to introduce the extended functionality without changing the ABI of existing function pointer types. The use of a qualifier on functions is similar to how a qualifier on an

object type would affect how an object is accessed during lvalue conversion and assignment. A qualifier on a function would affect how a function is accessed, i.e. how it is called. We also need to specify the behavior for conversions: A regular function pointer can implicitly be converted to a wide function pointer (by using a qualifiers this works with existing language rules) and calling such a converted pointer should be allowed. Back conversion only yields a valid pointer if the wide function pointer was previously obtained by converting a regular function pointer, otherwise the behavior is undefined because the context has been lost. Two wide function pointers compare equal if and only if both code and context pointers compare equal in line with the idea that the context is part of the identity of a wide function.

Proposed Syntax

It is proposed to add a new keyword `_Wide` as a qualifier. Possible other names for the qualifier which could be considered are `_Closure`, `_Callback`, `_Delegate`.

Although this is currently useless, a qualifier can already be added to a function using a typedef:

```
typedef int foo_t(void);
const foo_const_t* ptr;
_Wide foo_wide_t *ptr
```

For convenience, we could extend the syntax for qualifiers to allow a qualifier to be added inside brackets (inspired by Borland C++ `_Closure` keyword):

```
int (_Wide *ptr)(void);
```

For consistency, we suggest to then also allow this for other qualifiers, e.g.

```
int (const *x)[3];
```

Alternatively, we could allow adding qualifiers to a function on the right (as C++ already allows for member functions).

```
int (*ptr)(void) _Wide;
```

(The library part in the proposed wording assume the first syntax extension as proposed in Change 2a. If Change 2b is adopted instead, the examples need to be editorially changed accordingly).

References

[1] <https://sourceware.org/libffi/>

[2] <http://docwiki.embarcadero.com/RADStudio/Sydney/en/Closure>

Proposed Wording

Change 1 (adding the `_Wide` qualifier)

6.2.5 Types

(editorial note: insert after 29)

30 A `_Wide` qualifier specifies a wide function. XXX)

(editorial note: footnote) **XXX) Wide functions require implementation-specific calling conventions for setting up the context.**

6.3.2.3 Pointers

8 A pointer to a function of one type may be converted to a pointer to a function of another type and back again; **if the type pointed to by the intermediate pointer has all qualifiers of the original pointer, the `result` back converted pointer shall compare equal to the original pointer, otherwise the behavior is undefined. ~~If a converted pointer is used to call a function whose type is not compatible with the referenced type, the behavior is undefined.~~**

6.5.2.2 Function calls

9 If the function is defined with a type that is not compatible with the type (of the expression) pointed to by the expression that denotes the called function, the behavior is undefined, **except that an expression with a wide-qualified type can be used to call a function with the the corresponding non-wide-qualified type.**

6.7.3 Type qualifiers

1 Syntax

type-qualifier:

const
restrict
volatile
`_Atomic`
`_Wide`

Constraints

(editorial note: insert after 4)

5 The type modified by the `_Wide` qualifier shall be a function type.

Semantics

6 The properties associated with qualified types are meaningful only for expressions that are lvalues or that designate functions. 143)

(editorial note: insert after old 10)

12 A wide function is identified by a function definition and a context of type pointer to void. An identifier to a wide function defined at file-scope which is used outside the body of the wide function refers to the wide function with the context equal to a null pointer. If the identifier is used inside the body of the wide function itself it refers to the wide function which is currently called. YYY)

(editorial note: footnote) YYY) Thus, wide functions where the context pointer does not compare equal are different functions. A recursive call to a wide function calls the same wide function, i.e. the wide function with the same function definition and context.

17 Example 4 The following example illustrates how a pointer to a wide function can be used with an old C API.

```
typedef void cb_t(void *data, int x);
extern void some_api_old(cb_t *x, void *data);

static void stub(void* data, int x)
{
    (*(wide cb_t**)data)(x);
}

void some_api_new(wide cb_t *cb)
{
    some_api_old(stub, &cb);
}
```

Change 2a (extended qualifier syntax - generic)

6.7.6 Declarators

Syntax

1

direct-declarator:

```
identifier attribute-specifier-sequenceopt
( type-qualifier-listopt declarator )
array-declarator attribute-specifier-sequenceopt
function-declarator attribute-specifier-sequenceopt
```

6 If, in the declaration " T D1 ", D1 has the form
(D)

then `ident` has the type specified by the declaration " T D ". If D includes qualifiers, then type specified for `ident` is the corresponding qualified type. Thus, a declarator in parentheses is identical to the unparenthesized declarator, but the binding of complicated declarators may be altered by parentheses.

Change 2b (extended qualifier syntax – functions)

function-declarator:

direct-declarator (parameter-type-list opt) **type-qualifier-list**_{opt}

Change 3 (lambdas)

This change is conditional on the acceptance of lambdas in C23.

6.3 Conversions

6.3.2.4 Lambda values

A lambda value explicitly or implicitly converts to a pointer to wide function that has a compatible return type and a parameter list with the same order of compatible types. If the operand of the conversion is a function literal, the pointer is valid for the rest of the execution; if it is an lvalue of closure type, the pointer is valid until the end of the lifetime of the underlying closure object; otherwise the pointer is valid until the end of the enclosing block, if any, or for the whole execution if the evaluation is performed in file scope.

Example

```
int foo(x)
{
    int (*_Wide f)(int) = [blub](int x) { return x; };
    int r = f(x + 3);
    return r;
} // lifetime of lambda ends
```

6.5.3.2 Address and indirection operators

3 ... If the operand of an address operator is a lambda value, the lambda value is converted to a wide function pointer of the appropriate type, see 6.3.2.4.

Change 4 (library)

XXX Wide functions `<stdwide.h>`

1 The header `<stdwide.h>` declares two generic functions and the macro

```
wide
```

that expands to `_Wide`.

2 In the following description of the generic functions declared in the `<stdwide.h>` header `T` refers to a function type.

XXX The `wide_get_context` generic function

Synopsis

```
#include <stdwide.h>
void* wide_get_context(wide T *ptr);
```

Description

The `wide_get_context` generic function returns the context of the wide function pointed to by `ptr`. If `ptr` is a null pointer, a null pointer is returned. If a pointer to a non-wide function is converted to a pointer to a wide function and then passed to `wide_get_context`, a null pointer is returned.

Returns

The `wide_get_context` generic function returns the context pointer or a null pointer.

(editorial note: footnote) XXX) If the `wide_get_context` generic function is called inside a wide function with a pointer to itself as argument a pointer to its current context is obtained.

Example

```
struct bar { int y; };
int (wide foo)(int x)
{
    struct bar *context = wide_get_context(foo);
    return x + context->y;
}
```

XXX The `wide_set_context` generic function

Synopsis

```
#include <stdwide.h>
wide T* wide_set_context(wide T *ptr, void *context);
```

Description

The `wide_set_context` generic function returns a pointer to a new wide function based on the wide function pointed to by `ptr` with the context changed to the value provided in the second argument. If a pointer to a non-wide function is converted to a pointer to a wide function and then passed to `wide_set_context`, the behavior is undefined. If `ptr` is a null pointer, a null pointer is returned.

Returns

The `wide_set_context` generic function returns a pointer to a new wide function or a null pointer.

Example 1 The following example illustrates the use of C function which take a pointer to void as context with a new C API that makes use of a wide function type.

```
typedef void cb_t(void *data, int x);
extern void some_api_new(wide cb_t cb);

struct stub_data {
    cb_t *cb;
    void *data;
};

static void (wide stub)(int x)
{
    struct stub_data* context = wide_get_context(stub);
    context->cb(context->data, x);
}

extern void some_api_old(cb_t cb, void *data)
{
    struct stub_data context = { cb, data };
    some_api_new(wide_set_context(stub, &context));
}
```

Example 2

```
typedef unsigned long (wide counter_t)(void);

static unsigned long (wide counter)(void)
{
```

```
    unsigned long *count = wide_get_context(counter);
    return ++(*count);
}

counter_t* counter_create(void)
{
    unsigned long *count = malloc(sizeof int);
    if (!count)
        return NULL;
    *count = 0;
    return wide_set_context(counter, count);
}

void counter_delete(counter_t *c)
{
    free(wide_get_context(c));
}
```